

National Physician Survey, 2007. Results for Family Physicians/General Practitioners.

Q20. Please indicate with whom you do not collaborate. Check all that apply.

<i>Question asked of FP/GPs only</i>		Family Physicians			All FPs
		CCFP n=2054 N=16227	non-CCFP n=1787 N=13113	CCFP(EM)* n=176 N=1468	Total n=3841 N=29339
		%	%	%	%
FP - I do not collaborate with the following	No collaboration with Psychiatric specialists	11.5%	10.0%	4.7%	10.8%
	No collaboration with Pediatric specialists	17.1%	19.0%	7.8%	18.0%
	No collaboration with Obstetrical/ gynecological specialists	11.2%	12.7%	2.5%	11.9%
	No collaboration with Internal specialists	9.1%	9.7%	2.0%	9.4%
	No collaboration with Surgical specialists	8.6%	8.0%	2.3%	8.3%
	No collaboration with Other specialists (answered by FPs)	10.9%	11.1%	7.9%	11.0%
	NR to questions above	.8%	2.1%	.6%	1.4%
	No collaboration at all among FP respondents	73.0%	70.9%	83.7%	72.1%

Notes:

Includes only respondents who provide patient care.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

* CCFP (EM) respondents are also included in the CCFP column . The last column showing the total number of family physicians captures these respondents once.

This question was asked only of family physician/ general practitioner respondents who completed the long questionnaire. The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca .

National Physician Survey, 2007. Results for Family Physicians/General Practitioners.

Q20. Please indicate with whom you do not collaborate. Check all that apply.

Question asked of FP/GPs and other specialists		Family Physicians			All FPs
		CCFP n=2054 N=16227	non-CCFP n=1787 N=13113	CCFP(EM)* n=176 N=1468	Total n=3841 N=29339
		%	%	%	%
ALL - I do not collaborate with the following	No collaboration with Family physicians	3.1%	5.8%	2.9%	4.3%
	No collaboration with Nurse practitioners	45.3%	40.8%	47.0%	43.3%
	No collaboration with Psychiatric nurses	43.9%	36.9%	30.4%	40.8%
	No collaboration with Other nurses (RN, LPN, RPN)	14.3%	17.8%	4.4%	15.8%
	No collaboration with Physician assistants	58.8%	50.6%	61.0%	55.1%
	No collaboration with Dietitians/nutritionists	5.4%	6.8%	7.0%	6.1%
	No collaboration with Occupational therapists	23.9%	17.8%	37.9%	21.2%
	No collaboration with Physiotherapists	11.6%	9.1%	23.7%	10.5%
	No collaboration with Chiropractors	45.0%	37.9%	55.8%	41.8%
	No collaboration with Psychologists	26.1%	19.9%	44.0%	23.4%
	No collaboration with Mental health counselors	30.4%	27.0%	29.6%	28.9%
	No collaboration with Addiction counselors	38.4%	30.7%	45.4%	34.9%
	No collaboration with Social workers	17.8%	16.6%	10.7%	17.3%
	No collaboration with Pharmacists	7.1%	6.0%	7.3%	6.6%
	No collaboration with Midwives	56.4%	50.0%	63.2%	53.5%
	No collaboration with Speech-language pathologists	35.7%	30.5%	54.3%	33.3%
	No collaboration with Chiropractors	47.7%	38.4%	60.7%	43.5%
	No collaboration with complementary/alternative medicine providers	56.9%	48.0%	64.0%	52.9%
NR to questions above	.8%	2.1%	.6%	1.4%	
No collaboration at all among all respondents	27.7%	33.9%	26.9%	30.4%	

Notes:

Includes only respondents who provide patient care.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

This question was asked only of those respondents who completed the long questionnaire.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.