

## National Physician Survey, 2007. Results for Family Physicians/General Practitioners.

### Q32aiii. In the last year, have you been absent from work due to illness or disability?

|                       |       | Family Physicians         |                               |                              | All FPs                     |
|-----------------------|-------|---------------------------|-------------------------------|------------------------------|-----------------------------|
|                       |       | CCFP<br>n=5413<br>N=16211 | non-CCFP<br>n=4857<br>N=14182 | CCFP(EM)*<br>n=473<br>N=1515 | Total<br>n=10270<br>N=30393 |
|                       |       | %                         | %                             | %                            | %                           |
|                       |       | Illness or disability     |                               |                              |                             |
| Illness or disability | Yes   | 14.2%                     | 14.8%                         | 9.7%                         | 14.5%                       |
|                       | No    | 79.0%                     | 78.7%                         | 80.8%                        | 78.9%                       |
|                       | NR    | 6.7%                      | 6.5%                          | 9.5%                         | 6.6%                        |
|                       | Total | 100.0%                    | 100.0%                        | 100.0%                       | 100.0%                      |

Notes:

NR=No Response.

\* CCFP (EM) respondents are also included in the CCFP column . The last column showing the total number of family physicians captures these respondents once. The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at [www.nationalphysiciansurvey.ca](http://www.nationalphysiciansurvey.ca) .

## National Physician Survey, 2007. Results for Family Physicians/General Practitioners.

### Q32aiii. Number of days absent from work in the last year due to work related stress.

|  |                            | Family Physicians      |                            |                          | All FPs                 |
|--|----------------------------|------------------------|----------------------------|--------------------------|-------------------------|
|  |                            | CCFP<br>n=163<br>N=471 | non-CCFP<br>n=159<br>N=454 | CCFP(EM)*<br>n=9<br>N=27 | Total<br>n=322<br>N=925 |
|  |                            | %                      | %                          | %                        | %                       |
| Days absent due to work-related stress | Up to 3 days               | 37.8%                  | 30.5%                      | **                       | 34.2%                   |
|  | More than 3, up to 7       | 19.3%                  | 22.1%                      | **                       | 20.6%                   |
|  | More than 7, up to 14 days | 7.9%                   | 11.9%                      | **                       | 9.9%                    |
|  | More than 14               | 25.6%                  | 22.2%                      | **                       | 24.0%                   |
|  | NR                         | 9.4%                   | 13.3%                      | **                       | 11.3%                   |
|  | Total                      | 100.0%                 | 100.0%                     | **                       | 100.0%                  |

**Notes:**

Includes only respondents who indicated a work related stress illness.

NR=No Response.

\* CCFP (EM) respondents are also included in the CCFP column . The last column showing the total number of family physicians captures these respondents once.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at [www.nationalphysiciansurvey.ca](http://www.nationalphysiciansurvey.ca) .

\*\* Results are suppressed when there are fewer than 30 respondents.

### Q32aiii. Mean number of days absent from work in the last year, due to work related stress.

|  |                    | Family Physicians      |                            |                          | All FPs                 |
|--|--------------------|------------------------|----------------------------|--------------------------|-------------------------|
|  |                    | CCFP<br>n=147<br>N=426 | non-CCFP<br>n=136<br>N=394 | CCFP(EM)*<br>n=9<br>N=27 | Total<br>n=283<br>N=820 |
| No.of days absent due to work related stress | Mean               | 21.06                  | 29.35                      | **                       | 25.04                   |
|  | Median             | 5.00                   | 5.00                       | **                       | 5.00                    |
|  | Mode               | 2.00                   | 2.00                       | **                       | 2.00                    |
|  | Standard Deviation | 46.89                  | 69.47                      | **                       | 58.94                   |
|  | Minimum            | .50                    | .50                        | **                       | .50                     |
|  | Maximum            | 365.00                 | 365.00                     | **                       | 365.00                  |

**Notes:**

Includes only respondents who indicated greater than zero days absent.

NR=No Response.

\* CCFP (EM) respondents are also included in the CCFP column . The last column showing the total number of family physicians captures these respondents once.

The responding sample (size: n) has been weighted to represent the population (size: N).

Further detail available at [www.nationalphysiciansurvey.ca](http://www.nationalphysiciansurvey.ca) .

\*\* Results are suppressed when there are fewer than 30 respondents.

## National Physician Survey, 2007. Results for Family Physicians/General Practitioners.

### Q32aiii. Number of days absent from work in the last year, due to other illness/disability.

|   |                            | Family Physicians       |                             |                            | All FPs                   |
|---|----------------------------|-------------------------|-----------------------------|----------------------------|---------------------------|
|   |                            | CCFP<br>n=720<br>N=2115 | non-CCFP<br>n=653<br>N=1896 | CCFP(EM)*<br>n=44<br>N=139 | Total<br>n=1373<br>N=4010 |
|   |                            | %                       | %                           | %                          | %                         |
| Days absent due to other illness/disability | Up to 3 days               | 44.9%                   | 37.9%                       | 57.8%                      | 41.6%                     |
|   | More than 3, up to 7       | 20.7%                   | 22.9%                       | 22.2%                      | 21.7%                     |
|   | More than 7, up to 14 days | 11.2%                   | 12.4%                       | 2.1%                       | 11.8%                     |
|   | More than 14               | 21.1%                   | 23.6%                       | 17.9%                      | 22.3%                     |
|   | NR                         | 2.1%                    | 3.2%                        | .0%                        | 2.6%                      |
|   | Total                      | 100.0%                  | 100.0%                      | 100.0%                     | 100.0%                    |

**Notes:**

Includes only respondents who indicated another illness/disability.

NR=No Response.

\* CCFP (EM) respondents are also included in the CCFP column . The last column showing the total number of family physicians captures these respondents once.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at [www.nationalphysiciansurvey.ca](http://www.nationalphysiciansurvey.ca) .

### Q32aiii. Mean number of days absent from work in the last year, due to other illness/disability.

|  |                    | Family Physicians       |                             |                            | All FPs                   |
|--|--------------------|-------------------------|-----------------------------|----------------------------|---------------------------|
|  |                    | CCFP<br>n=704<br>N=2070 | non-CCFP<br>n=630<br>N=1836 | CCFP(EM)*<br>n=44<br>N=139 | Total<br>n=1334<br>N=3906 |
| No. of days absent due to any other illness/disability | Mean               | 17.88                   | 22.69                       | 14.16                      | 20.14                     |
|  | Median             | 4.00                    | 5.00                        | 2.00                       | 5.00                      |
|  | Mode               | 2.00                    | 2.00                        | 1.00                       | 2.00                      |
|  | Standard Deviation | 44.21                   | 50.73                       | 35.49                      | 47.44                     |
|  | Minimum            | .50                     | .50                         | 1.00                       | .50                       |
|  | Maximum            | 365.00                  | 365.00                      | 180.00                     | 365.00                    |

**Notes:**

Includes only respondents who indicated greater than zero days absent.

NR=No Response.

\* CCFP (EM) respondents are also included in the CCFP column . The last column showing the total number of family physicians captures these respondents once.

The responding sample (size: n) has been weighted to represent the population (size: N).

Further detail available at [www.nationalphysiciansurvey.ca](http://www.nationalphysiciansurvey.ca) .