

National Physician Survey, 2007. Results for Family Physicians/General Practitioners

Q32aiii. In the last year, have you been absent from work due to illness or disability?

		Sex			Age Groups						All FP/GPs
		Male n=5800 N=18324	Female n=4279 N=11504	NR n=191 N=564	<35 n=887 N=2700	35-44 n=2421 N=7644	45-54 n=3435 N=10247	55-64 n=2519 N=7091	65+ n=904 N=2406	NR n=104 N=305	Total n=10270 N=30393
		%	%	%	%	%	%	%	%	%	%
Illness or disability	Yes	14.0%	15.5%	10.4%	12.3%	12.8%	15.5%	14.9%	17.1%	8.9%	14.5%
	No	80.1%	77.1%	77.3%	79.3%	80.2%	78.7%	79.2%	74.2%	77.9%	78.9%
	NR	6.0%	7.4%	12.2%	8.3%	7.0%	5.8%	5.8%	8.7%	13.1%	6.6%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2007. Results for Family Physicians/General Practitioners

Q32aiii. Number of days absent from work in the last year due to work related stress.

		Sex			Age Groups						All FP/GPs
		Male n=159 N=495	Female n=161 N=425	NR n=2 N=5	<35 n=23 N=68	35-44 n=68 N=210	45-54 n=124 N=357	55-64 n=79 N=215	65+ n=27 N=71	NR n=1 N=4	Total n=322 N=925
		%	%	%	%	%	%	%	%	%	%
Days absent due to work-related stress	Up to 3 days	35.2%	32.8%	**	**	37.9%	31.8%	31.2%	**	**	34.2%
	More than 3, up to 7	22.2%	19.1%	**	**	14.3%	25.8%	21.1%	**	**	20.6%
	More than 7, up to 14 days	10.5%	9.2%	**	**	14.3%	7.9%	10.5%	**	**	9.9%
	More than 14	23.1%	24.7%	**	**	23.6%	25.9%	21.6%	**	**	24.0%
	NR	9.0%	14.2%	**	**	9.9%	8.6%	15.5%	**	**	11.3%
	Total	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	**	**	100.0%

Notes:

Includes only respondents who indicated a work related stress illness.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

National Physician Survey, 2007. Results for Family Physicians/General Practitioners

Q32aiii. Mean number of days absent from work in the last year, due to work related stress.

		Sex			Age Groups						All FP/GPs
		Male n=144 N=450	Female n=137 N=365	NR n=2 N=5	<35 n=21 N=62	35-44 n=61 N=189	45-54 n=113 N=326	55-64 n=66 N=182	65+ n=21 N=57	NR n=1 N=4	Total n=283 N=820
No.of days absent due to work related stress	Mean	25.18	24.94	**	**	23.27	26.48	23.55	**	**	25.04
	Median	5.00	5.00	**	**	5.00	5.00	5.00	**	**	5.00
	Mode	2.00	2.00	**	**	2.00	2.00	2.00	**	**	2.00
	Standard Deviation	62.14	55.21	**	**	53.39	63.17	48.46	**	**	58.94
	Minimum	.50	.50	**	**	.50	1.00	1.00	**	**	.50
	Maximum	365.00	365.00	**	**	365.00	365.00	240.00	**	**	365.00

Notes:

Includes only respondents who indicated greater than zero days absent.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Results are suppressed when there are fewer than 30 respondents.