

National Physician Survey, 2007. National Results by FP/GP or Other Specialist, Sex, Age, and All Physicians

Q32aiii. In the last year, have you been absent from work due to illness or disability?

		FP/GP or Other Specialist		Sex			Age Groups					All Physicians	
		FP/GP n=10270 N= 30393	Other Spec n=8969 N=27364	Male n=11772 N=37237	Female n=7084 N=19370	NR n=383 N=1150	<35 n=1450 N=4299	35-44 n=4506 N=14305	45-54 n=6104 N=19064	55-64 n=4672 N=13529	65+ n=2292 N=5930	NR n=215 N=630	Total n=19239 N=57757
		%	%	%	%	%	%	%	%	%	%	%	%
Illness or disability	Yes	14.5%	11.6%	12.7%	14.1%	11.2%	10.4%	11.2%	14.0%	14.1%	14.9%	12.0%	13.1%
	No	78.9%	80.8%	80.8%	77.9%	78.5%	81.2%	81.2%	79.7%	80.2%	75.3%	74.2%	79.8%
	NR	6.6%	7.6%	6.5%	8.0%	10.3%	8.5%	7.6%	6.3%	5.7%	9.8%	13.8%	7.1%
	Total	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Notes:

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca .

National Physician Survey, 2007. National Results by FP/GP or Other Specialist, Sex, Age, and All Physicians

Q32aiii. Number of days absent from work in the last year due to work related stress.

		FP/GP or Other Specialist		Sex			Age Groups						All Physicians
		FP/GP n=322 N=925	Other Spec n=174 N=521	Male n=265 N=816	Female n=225 N=613	NR n=6 N=17	<35 n=26 N=76	35-44 n=102 N=318	45-54 n=183 N=543	55-64 n=120 N=341	65+ n=62 N=158	NR n=3 N=10	Total n=496 N=1446
		%	%	%	%	%	%	%	%	%	%	%	%
Days absent due to work-related stress	Up to 3 days	34.2%	28.7%	32.2%	31.8%	**	**	34.7%	33.2%	29.7%	22.2%	**	32.2%
	More than 3, up to 7	20.6%	19.8%	22.2%	18.5%	**	**	18.7%	23.3%	20.6%	13.2%	**	20.4%
	More than 7, up to 14 days	9.9%	9.8%	10.5%	9.2%	**	**	11.9%	9.2%	12.2%	6.5%	**	9.9%
	More than 14	24.0%	26.3%	23.8%	25.9%	**	**	25.4%	24.3%	21.5%	32.5%	**	24.8%
	NR	11.3%	15.3%	11.3%	14.5%	**	**	9.3%	10.1%	16.0%	25.6%	**	12.8%
	Total	100.0%	100.0%	100.0%	100.0%	**	**	100.0%	100.0%	100.0%	100.0%	**	100.0%

Notes:

Includes only respondents who indicated a work related stress illness.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.

National Physician Survey, 2007. National Results by FP/GP or Other Specialist, Sex, Age, and All Physicians

Q32aiii. Mean number of days absent from work in the last year, due to work related stress.

		FP/GP or Other Specialist		Sex			Age Groups					All Physicians	
		FP/GP n=283 N=820	Other Spec n=146 N=441	Male n=233 N=724	Female n=191 N=524	NR n=5 N=14	<35 n=24 N=70	35-44 n=92 N=288	45-54 n=164 N=488	55-64 n=100 N=287	65+ n=46 N=118	NR n=3 N=10	Total n=429 N=1261
No. of days absent due to work related stress	Mean	25.04	25.16	24.98	25.15	**	**	25.59	22.78	23.60	46.02	**	25.08
	Median	5.00	6.00	5.00	5.00	**	**	5.00	5.00	5.00	10.00	**	5.00
	Mode	2.00	2.00	2.00	2.00	**	**	2.00	2.00	2.00	2.00	**	2.00
	Standard Deviation	58.94	48.99	57.54	53.44	**	**	54.28	54.31	45.56	89.05	**	55.64
	Minimum	.50	1.00	.50	.50	**	**	.50	1.00	1.00	.50	**	.50
	Maximum	365.00	365.00	365.00	365.00	**	**	365.00	365.00	240.00	365.00	**	365.00

Notes:

Includes only respondents who indicated greater than zero days absent.

NR=No Response.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at www.nationalphysiciansurvey.ca.

** Responses suppressed when column n is less than 30.