

## National Physician Survey, 2007. Results for Laboratory Specialists.

**Q20. Please indicate with whom you do not collaborate. Check all that apply.**

<b>Question asked of other specialists only</b>		Laboratory Specialists				.
		AnaPath n=42 N=345	Biochem n=6 N=55	GenPath n=18 N=140	MicInfect n=36 N=297	Total n=102 N=837
		%	%	%	%	%
No collaboration with Other specialists (answered by other Specialists)	Yes	4.8%	**	**	3.5%	4.8%
	No	56.5%	**	**	96.5%	74.0%
	NR	38.6%	**	**	.0%	21.2%
	Total	100.0%	**	**	100.0%	100.0%

**Notes:**

Includes only respondents who provide patient care.

NR=No Response.

This question was asked only of other specialist respondents who completed the long questionnaire.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at [www.nationalphysiciansurvey.ca](http://www.nationalphysiciansurvey.ca).

\*\* Results are suppressed when there are fewer than 30 respondents.

## National Physician Survey, 2007. Results for Laboratory Specialists.

**Q20. Please indicate with whom you do not collaborate. Check all that apply.**

Question asked of FP/GPs and other specialists		Laboratory Specialists				Total n=102 N=837 %
		AnaPath n=42 N=345	Biochem n=6 N=55	GenPath n=18 N=140	Mic Infect n=36 N=297	
		%	%	%	%	
ALL - I do not collaborate with the following	No collaboration with Family physicians	14.8%	**	**	6.7%	9.5%
	No collaboration with Nurse practitioners	36.3%	**	**	17.8%	24.5%
	No collaboration with Psychiatric nurses	35.3%	**	**	59.6%	40.7%
	No collaboration with Other nurses (RN, LPN, RPN)	29.6%	**	**	4.8%	18.7%
	No collaboration with Physician assistants	30.0%	**	**	50.7%	35.8%
	No collaboration with Dietitians/ nutritionists	16.1%	**	**	17.3%	19.5%
	No collaboration with Occupational therapists	35.2%	**	**	31.7%	33.8%
	No collaboration with Physiotherapists	36.3%	**	**	19.4%	31.1%
	No collaboration with Chiropractors	39.2%	**	**	71.9%	50.9%
	No collaboration with Psychologists	39.2%	**	**	39.4%	38.4%
	No collaboration with Mental health counselors	38.0%	**	**	54.2%	44.1%
	No collaboration with Addiction counselors	38.0%	**	**	51.4%	43.1%
	No collaboration with Social workers	32.4%	**	**	10.4%	26.3%
	No collaboration with Pharmacists	35.1%	**	**	3.5%	22.0%
	No collaboration with Midwives	35.3%	**	**	71.9%	47.7%
	No collaboration with Speech-language pathologists	39.2%	**	**	57.4%	45.8%
	No collaboration with Chiropractors	39.2%	**	**	65.4%	48.6%
No collaboration with complementary/ alternative medicine providers	35.3%	**	**	71.2%	47.9%	
NR to questions above	38.6%	**	**	.0%	21.2%	
No collaboration at all among all respondents	11.4%	**	**	18.7%	16.9%	

### Notes:

Includes only respondents who provide patient care.

Column totals may exceed 100% as this question allowed for multiple responses.

NR=No Response.

This question was asked only of those respondents who completed the long questionnaire.

The responding sample (size: n) has been weighted to represent the population (size: N). Further detail available at [www.nationalphysiciansurvey.ca](http://www.nationalphysiciansurvey.ca).

\*\* Results are suppressed when there are fewer than 30 respondents.